



**Plain Ring
Size 18-28**




**Turnover ring
Size 20-35**



**Neck washer
Size 22, 24, 26, 28**




**For automatic
feed only**



Standard Sail Eyelets

Part No	A Minimum Int Dia After Closing		B Overall Length		C Flange Thickness		D Flange Diameter		Metal Thickness	
	mm	in	mm	in	mm	in	mm	in	mm	in
18	5.15	0.203	4.37	0.172	0.79	0.031	9.53	0.375	0.30	0.012
20	6.10	0.240	5.15	0.203	0.51	0.020	12.19	0.480	0.30	0.012
21	6.35	0.250	5.54	0.218	0.79	0.031	12.70	0.500	0.30	0.012
22	7.49	0.295	5.84	0.230	0.79	0.031	14.27	0.562	0.33	0.013
23	8.51	0.335	5.97	0.235	0.79	0.031	15.87	0.625	0.33	0.013
24	8.89	0.350	6.35	0.250	0.79	0.031	17.45	0.687	0.35	0.014
25	10.29	0.405	6.73	0.265	0.79	0.031	19.43	0.765	0.35	0.014
26	11.05	0.435	7.14	0.281	0.79	0.031	20.32	0.800	0.35	0.014
27	11.94	0.470	7.52	0.296	0.79	0.031	22.22	0.875	0.38	0.015
28	12.70	0.500	7.92	0.312	0.79	0.031	23.29	0.917	0.41	0.016
29	14.22	0.560	8.33	0.328	1.17	0.046	25.40	1.000	0.41	0.016
30	15.87	0.625	8.71	0.343	1.17	0.046	28.57	1.125	0.46	0.018
31	17.40	0.685	9.52	0.375	1.17	0.046	31.75	1.250	0.47	0.018
32	19.05	0.750	9.65	0.380	1.57	0.062	34.03	1.340	0.51	0.020
33	20.57	0.810	10.23	0.430	1.57	0.062	37.71	1.485	0.51	0.020
35	25.40	1.000	12.32	0.485	1.57	0.062	43.81	1.725	0.56	0.022



Long Sail Eyelets

Part No	A Minimum Int Dia After Closing		B Overall Length		C Flange Thickness		D Flange Diameter		Metal Thickness	
	mm	in	mm	in	mm	in	mm	in	mm	in
LONG 21	6.35	0.250	6.35	0.250	0.79	0.031	12.70	0.500	0.30	0.012
LONG 22	7.49	0.295	7.87	0.310	0.79	0.031	14.27	0.562	0.35	0.014
LONG 23	8.51	0.335	8.00	0.315	0.79	0.031	15.87	0.625	0.35	0.014
LONG 24	8.89	0.350	8.25	0.325	0.79	0.031	17.45	0.687	0.38	0.015
LONG 26	11.05	0.435	9.50	0.375	0.79	0.031	20.62	0.812	0.41	0.016
LONG 27	11.94	0.470	9.50	0.375	0.79	0.031	22.22	0.875	0.41	0.016
LONG 28	12.70	0.500	12.50	0.500	0.79	0.031	23.80	0.937	0.46	0.018
LONG 29	14.22	0.560	12.50	0.500	1.17	0.046	25.40	1.000	0.51	0.020
LONG 30	15.87	0.625	12.50	0.500	1.17	0.046	28.32	1.115	0.51	0.020
LONG 30x5/8	15.87	0.625	15.80	0.622	1.17	0.046	28.32	1.115	0.51	0.020
LONG 32	19.05	0.750	15.80	0.622	1.17	0.046	35.52	1.359	0.51	0.020

242 Whitworth Road,
Rochdale,
Lancashire
OL12 0SA
Tel: 01706 522113
Fax: 01706 648180

Email: sales@dtpsupplies.com
Web: www.dtpsupplies.com




Dimensions are for reference purposes only and are subject to change without notice.

DTP Supplies

Eyelets and Fasteners to all trades



Grommet, Sheet & Sail Eyelets



Grommet Eyelets

Part No	A Minimum Int Dia After Closing		B Overall Length		C Flange Thickness		D Flange Diameter		Metal Thickness	
	mm	in	mm	in	mm	in	mm	in	mm	in
20A/000	5.08	0.200	5.46	0.215	0.79	0.031	9.96	0.392	0.20	0.008
00	6.35	0.250	5.54	0.218	1.39	0.055	14.27	0.562	0.35	0.014
0	8.38	0.330	6.35	0.250	1.57	0.062	17.04	0.671	0.35	0.014
1	9.53	0.375	6.85	0.270	1.98	0.078	19.43	0.765	0.35	0.014
2 CAN	11.18	0.440	8.66	0.340	2.51	0.100	22.40	0.882	0.46	0.018
2	11.94	0.470	8.71	0.343	1.98	0.078	23.79	0.937	0.46	0.018
3	12.70	0.500	9.11	0.359	1.98	0.078	25.40	1.000	0.47	0.018
4	14.73	0.580	10.03	0.395	2.76	0.109	28.57	1.125	0.48	0.019
5	17.02	0.670	11.88	0.468	2.76	0.109	34.11	1.343	0.48	0.019
6	19.81	0.780	13.48	0.531	2.76	0.109	39.67	1.562	0.56	0.022
7	23.11	0.910	13.48	0.531	3.17	0.125	44.45	1.750	0.61	0.024
8	26.92	1.060	15.49	0.610	3.17	0.125	47.62	1.875	0.71	0.028

Single teeth washer
Sizes 000-4



Double teeth washer
Sizes 5-8




Plain Ring
All sizes



Tooth ring
All Sizes



Neck washer
Size 2 only



Sheet Eyelets

Part No	A Minimum Int Dia After Closing		B Overall Length		C Flange Thickness		D Flange Diameter		Metal Thickness	
	mm	in	mm	in	mm	in	mm	in	mm	in
00	4.57	0.180	4.32	0.170	0.89	0.035	10.79	0.425	0.25	0.009
0	6.22	0.245	5.33	0.210	0.89	0.035	13.84	0.545	0.30	0.012
1	7.87	0.310	5.58	0.220	0.89	0.035	17.50	0.689	0.33	0.013
2	9.52	0.375	6.35	0.250	0.89	0.035	20.70	0.815	0.35	0.014
3	11.05	0.435	8.74	0.344	1.01	0.039	24.54	0.966	0.40	0.016
4	12.70	0.500	10.66	0.420	1.21	0.048	26.63	1.048	0.45	0.018
5	15.10	0.594	9.80	0.386	1.46	0.057	31.04	1.222	0.47	0.019